dame		11 -								
iailia	Argbet	le S	Sell		Date	4-13-	15	Page	of	398
/atc	(Please F hman ted From Hun	•	er	То	Lv+1	hor Vill	W.O Numb			/ ⁴
	Exception Chain	Marker No.	W.O.	Track	Rail	Switch	Coc	les	Status	Repair
Item	From	To	Number	No.	E/W	No.	Comp.	Defect	S/Y/R	Y/N
1,	718+00 N			2	E-W		R301	329		
2.										
3.			replace the star							
4.										
	0.00									
5.									KWK	
6.			CONTRACTOR OF THE PARTY.							.9
7.				-						
8.			1811							
9. tem	COMMENTS		AND THE REAL PROPERTY.							
5-									5	
5 	Were Switch		-		es L		10			
W/es_	ere all single op		-					eratated in	each position	on ?
Wes_	ere all single op	erating med	chanism & cor	necting r				eratated in	each position	on ?
es	ere all single ope	erating med	chanism & cor	necting r	rod type s	witches inside	area and op		each position	on?

Name	Bellard	Bri	rant		Date			Page	/ of /	
	(Please hman Sch	Print) /	Ile	То	dal	Spung	W.O Numb	er_ <i>[88</i>	3019	/*
2.		بمديد	<u>и</u> с			o spring				
	Exception Cha	n Marker No.		Track	Rail	Switch	Cos	des	Status	Repair
Item	From	То	Number	No.	E/W	No.	Comp.	Defect	S/Y/R	Y/N
1,	N 487401						M304	303	<u> </u>	N
2.	44243		EAST BANK SAIL	2			m 321	302	C C	μ
3.	442+50	7		2			madi.	302	ک	, i
4.	434+00			2			M 301	302	<u> </u>	1
5	422409						T304	383	γ.	N.
5.									- 11	
6.										- 39
7.										
8.										
9.	COMMENTS		Character to the state of the s							
em /	COMMENTS	. 01	1.	rr	-1-2				-	
2	Broken		retions	+ +	ence					
3	2 Tive		(N)		13	1/1				
4		SINd		_	OH S	ightly				
-	1 brok	tive in	d valle,							
2	I broh	en lie		-						
7										
\leftarrow			~			The state of the s				
ノー			-							
									- 4	
-										
_								2.		
			a of Inspecte		es		10			
W	ere all single o	perating med	chanism & co	necting r	od type s	witches inside	area and op	eratated in	each positi	on ?
es	NO									
	SPECIAL I	NSPECTIO	ON Yes		NO					
Re	ason for spe	cial inspec	tion ?							
										0
				1	1 1				W	
Tra	ck Inspector S	ignature	A	11 //	//		Supervisor	v Cretifica	tion	anto
/	11		1	111	//			,	10	71
L	Asl. L.	12	1)a	lles		**			1	V
d	BILLIA			/						

ame	Bllad				Date	4-14-2	015	Page)
		Isher			1 · 11			er_188_	2308	/*
)ec	ted From 👢	Nder you	Hos	То	LINTH	idom	- 11			
	Exception Chain	Marker No.	W.O.	Track	Rall	Switch	Coc	ies	Status	Repair
em	From	То	Number	No.	E/W	No.	Comp.	Defect	S/Y/R	Y/N
1.				::T						
-	*									
3.										
١.										
5.		· · · · · · · · · · · · · · · · · · ·			l			-		
3.									D#X	
7.										.9
3.										
9.	14		in hornal king							
n	COMMENTS						· · · · · · · · · · · · · · · · · · ·	tL		
			No ne	w	lo fect	s note	1			
					,					
			Track	INS	pertis	N Comx	lete			
_					1	0	•			
_										
4										
ч										
\dashv										
+		-								
_								¥		
										2
W	Were Switch ere all single ope NO SPECIAL IN	erating med	chanism & cor	necting r		vitches inside	area and op	eratated in	each positi	on ?'
Rea	ason for speci	al Inspec	tion ?					ā1		
Trac	ck Inspector Sig	nature	Asa	le			Supervisor	y Cretifica	1	ay k
l	At 1/ac	y p						4	P-15.	15

							Par &			
ame	A. Rabe	He S.	Sell		Date	4-14-15		Page	of	×
1	(Please	Print)				9-17-13 nden		60	-3	
.Vatc	nman				_	1	W.O Numb	er <u>/88</u>	305 9	1.
ect	ted From Colo	Spring	<u> </u>	То	Car	nden				
		7								
	Exception Chair	n Marker No.	w.o.	Track	Rall	Switch	Cod		Status	Repair
Item	From	То	Number	No.	E/W	No.	Comp.	Defect	S/Y/R	Y/N
1.			jerpana komentari				-			
2.	767	300	estander score							
3.			Augustina and					-	77	
4.			Nation August							
-								-		
5.										
			MARKETHIUH ISAK GAR Martinan Markethi						P.	
6.										
7.										
8.										
9.					L	J				
em ,	COMMENTS									
		Kidi	ng II	V5/02	cti	on Due Voted,	2 to K	ain		
		No N.	ew De	feet	15 1	Voted,	n H	rea		
_										
_										
\rightarrow										
\leftarrow										
)+			-	-					2	
\rightarrow										
								2		
	Were Switch	h in the area	of Inspecte	ed Y	es	N	0 =			
W			_			switches inside		eratated in	ooob positi	on 2
es	NO	Jordania moc	mamom a co	nocang i	ou type	SWITCHES INSIDE	area ariu op	oralalou III	each positi	OII r
.5										
	CDECIAL IN	IÓDEOTIC	MI V		NO a					
	SPECIAL IN	NSPECTIC	N Yes_		NO					
Rea	ason for spec	cial Inspect	tion ?					, D,		
									2 (4) 0	
Tra	ck Inspector Si	ianeturo					Supervisor	v Crotifica	tion 4-1	5-15
114	A MILLON	gratare		#			Super visor	y Creunca	lion	<u> </u>
//	Marka	lette				×	Supervisor		W.K	att
w	Con The Contract of the Contra	FUNDA FORFO							1-6.	1
										V
):										
f."										

IIIO	A. Rabe		2600							
/atcl	hman	- · · · · · · · · · · · · · · · · · · ·					W.O Numb	er 188.	3054	/*
ес	ted From	DeNN		То						
							<u>.</u>	•		
	Exception Cha	in Marker No.	w.o.	Track	Rail	Switch	Cod	ies	Status	Repair
ltem	From	То	Number	No.	E/W	No.	Comp.	Defect	S/Y/R	Y/N
1.				•						
2.		581								
3.										
4.										
5.									112	
6.										
7.			E CREAT HOUSE							
8.										
9.			的特別的數學				L			
m	COMMENTS									
em	COMMENTS	No	New i	In	spec-	ts bu Noted	e to	Rain		
)—	COMMENTS	No	New i	IN	spec-	ts bu Noted	e to	Rain		
		ch in the are	a of Inspecte	d Y	es		10 <u> </u>	5	e	on ?
)-)-)- w	Were Swite ere all single o	ch in the are	a of Inspecte	d Yo	es_ rod type s		10 <u> </u>	5	e	on ?
)-)-)- w	Were Swite ere all single o	ch in the are	a of Inspecte	d Yo	es_ rod type s		10 <u> </u>	5	e	on ?
	Were Swite ere all single oNO	ch in the are perating med	a of Inspecte chanism & cor	d You	es rod type s	Nwitches inside	area and op	eratated in	e	on ?
	Were Swite ere all single o	ch in the are perating med	a of Inspecte chanism & cor	d You	es rod type s	Nwitches inside	area and op	eratated in	e	on ?

Name	Bllard			Date	4-15-2	015	Page	[of]	Y
	(Please Print) hman <u>Chicke</u> ted From Hust U	billey	То	Luth		W.O Numbe		1208	› <u>›</u> ·
	Exception Chain Marker	No. W.O.	Track	Rall	Switch	Cod	es	Status	Repair
Item	From To	CONTRACTOR	No.	E/W	No.	Comp.	Defect	S/Y/R	Y/N
1.		Design South	•						
2.		100							
3.									
4.									
_		and manufacturing and the second seco							-
5.								19	
6. 7.									.,,
8.									
9.		MAEDI BERUET							
əm	COMMENTS	The state of the s			v 0				55
)-)-								,	
	1						32 (4		2
W es		mechanism & cor	necting r			area and op	eratated in	each posit	lon ?
	SPECIAL INSPEC	CTION Yes		NO	_				
	ason for special Ins				9	Supervisor	y Cretifica	ition//	Say
PH	Ulchael of	10 ottan	4					23253	

	man	e Print)				1-15-1		er_ <i>188</i>	12211	, 4
1001	ed From	LIN	=======================================	То	BW	/	omun O.vv	er <u>/00</u>	2)11	/
	Exception Cha	ain Marker No.	w.o.	Track	Rall	Switch	Cod	les	Status	Repai
ltem	From	То	Number*	No.	E/W	No.	Comp.	Defect	S/Y/R	Y/N
1.				•		7				
2.										
3.			finers the le							
4.		_	1,000,000							
_										
5.									- 22	
6.		<u> </u>								.94
7.		-	PORTAL NAME OF THE							
8.		 						ļ		
9. em	COMMENTS	<u> </u>					L			
\exists										
)-)-										
)-)-										
)-)-									8	
	ere all single		ea of Inspecte		es	The state of the s	O_ area and op	eratated in		on ?
	ere all single	operating me	•	necting r	od type sv	vitches inside		eratated in		on ?
∋s	ere all single	operating med	chanism & cor	necting r	rod type sv	vitches inside	area and op	eratated in		on ?

Vame	5 5E	il			Date	4-15-1	15	Page	of	
	(Pleas nman		1		<i>e</i> 1		W.O Numb	er <u>/88</u>	2311	/ "
ect	ed From	Lin	-	То	CROY	<u>n</u>	-0			
	Exception Cha	aln Marker No.	wa	Track	Rail	Switch	Cod	loe I	Status	Repair
Item	From	To	Number		E/W	No.	Comp.	Defect	S/Y/R	Y/N
1.			1260 1261	16.						
2.	74	,				4				
3.		-	haddyin Mille				,			
4.			NUMBER OF STREET							
									0	
5.		M. Comment	表的結構因此性							
в.										5
7.			HARMEN BERNELLE						Įi _k	
8.										
9.			and of the supple							
m	COMMENTS		-followed Linear Control							
))-					4					
 W	ere all single	ch in the are	•		esrod type	N switches inside	Oo area and op	eratated in	each posit	ion ?
	SPECIAL	- INSPECTIO								
	ck Inspector		:uon /	W .		=	Supervisor	y Cretifica	tion <u>M</u>	Surt
/	Jhu Su	_				20			P	11

Vame	Pollard	Br	yaut		Date	4-16-2	015	Page	/ of 3	(4)
	Please	Print)	/	Т-	d	len Yardi	W.O Numb	oer <u>/</u> /}}	1165	/ ·
180	ted From	19 striń	<u> </u>	То	Cano	len Yn I dal		_4		
	Exception Chair		w.o.	Track	Rall	Switch	Co	des	Status	Repair
tem	From	То	// Number	No.	E/W	No.	Comp.	Defect	S/Y/R	Y/N
1.				it.		83-13	5304	344	Ψ	
2.										
3.							_			
4.								-		
5.										
6.								-		
7.			Redress desertion.							.4
8.								1	**	
9.										
m	COMMENTS		and the second second second							
$i \square$	- A	witch	point	(420)	rD	18" back	From Po	int ci	10 1 10 1	. 1
\dashv	with Deir	es br	eaking	00+				***************************************		
\dashv	WIFE PAIR	es or	Paring	OUT		III-C			-	
	Switch	area i	5 6/50	6/	ocked	aud al	amped	******		
		ند <i>اد</i> و الانجاد الدواد		allocations.	NEW TAIL	0.00	The state of the s	-201		
4									6	
-										
										2
	Were Switch	n in the area	a of Inspecte	d Y	es	^	10			
	ere all single op	erating med	chanism & co	necting r	od type s	switches inside	area and op	eratated in	each positi	on ?
s	NO									14
	0000111									
	SPECIAL IN	ISPECTIC	ON Yes_		NO_6					
_			0							
Kea	ason for spec	iai inspec	tion?							
									14.2	0
Age	. /- /	4		5 .6 7				• 44	///	Kal
ira	ck Inspector Si	gnatur e ∧	\wedge	1 .	Λ		Supervisor	ry Cretifica	tion VI	roge
1	H_ \\	1) D2	O 11	[] [1				1	1'
L	Vic has	1 AT	70 VI	and)	/				3.0	
NX	purpos	CVIC		any						

lame	Bland	Bri	rast		Date 4	4-16-20	15	Page C	2 of 3	
	Please	Print)					<i>V.S</i> W.O Numb	,00	111-	
./atcl	nman Schr	yer					W.O Numb	er <u>/88</u>	1163	/
peci	ed From	Penn Li	ie	To			=			
	Exception Chair	Marker No.	w.o.,	Track	Rall	Switch	Cod	les	Status	Repair
tem	From	То	Number	No.	E/W	No.	Comp.	Defect	S/Y/R	Y/N
1.			ting manual	•		ų.				
2.		\$38								
3.		,								
i.										
j.	3									
3.								z		,,
7.			设图的资料物用提供							
3.										
).			tration and the							
n	COMMENTS		***************************************			r	(4			
			NO N	610	e Fec	-3 No-	ed			
				-	- C	130	,			
			Track	Ih C	200	damp	1. 40			
			, joca		7FC170 K		18/6			
\neg										
\neg										
\neg									,	
\neg										
7										
\dashv										
										2
			of Inspecte		es		0			
	ere all single or	ferating med	hanism & cor	necting r	od type s	witches inside	area and op	eratated in	each positi	ion ?
	NO									
	SPECIAL IN	SPECTIO	ON Yes		NO					
Rea	ason for spec	ial Inspec	tion ?							
										/
									, /	1
Tra	ck Inspector Si	anature					Supervisor	v Cretifica	tion ///	aute
X	H- Jael	122	Solla	ud	100		Supervisor	y Creunca		1
	100/1001	, -							1.50	

Name	A. Rabot	le 5.	Sell		Date	4-16-15		Page	of	
	(Please	Print)				Spring	- C-1/5/7-6/14/1	er <u>/8</u> 8		/ 4
								-		
Item	Exception Chair	To	W.O. Number	Track	Rail E/W	Switch	Coc		Status	Repair
1.	From	10		No.	E/VV	No.	Comp.	Defect	S/Y/R	Y/N
2.		-,			_				***************************************	
3.	990									-
4.										
-	7 × 7									
5.								 		
6.										
7.										- 2
8.									49	
9.										
em	COMMENTS		Harman Daniel							
<u></u>					istra					
es	ere all single or NO SPECIAL IN	erating med	ON Yes	necting r	od type	switches inside a	area and op		each positi	on ?
	ck Inspector SI	gnature		(gc)			Supervisor		tion <u>//</u>	Payl

lame	(Blease	Drint)					2015			
latc		sler					W.O Numb	er	P783	/ "
эс	ted From	inthico	K	То	Cromo	ue 11	_			
		The state of the s	hatprovettspermeens					8		,
	Exception Chair		w.o.	Track	Rall	Switch	Coc	7	Status	Repair
Item	From	То	Number	No.	E/W	No.	Comp.	Defect	S/Y/R	Y/N
1.										
2.					-					
3.										
4.			a più degli zola segozi. Glasta de le romani de la					-		
_	2						 	-		
5.								 	157	
6. 7.										.,,
8.										
9.					-		-			
em	COMMENTS		Humder, and Ganard					ل ــــــــــــــــــــــــــــــــــــ		
	No ve	ew defe	tru ets	44	IN AYCC	y touck	pspection	in the p.	lete-	
)-)-	N8 10	ew defe	tru ets	2	1 is a good	toraki	uspertion	on mp.	lete -	
	Were Switcl	n in the area	a of Inspecte	ed Y	es_		IO_			on ?
	Were Switcl	n in the area	a of Inspecte	ed Y	es_ rod type sv		IO_			on?
es	Were Switch	in the area verating med	a of Inspecte chanism & cor	ed Y	esod type s	witches inside	IO			on ?

Name	Blace	}			Date	4-17-20	115	Page	Q of Q	
atc	(Please	2/05					W.O Numb	er <u> 1888</u>		
тес	ted From	BWI	Line	То				20.		
_					,					
	Exception Chai		w.o.		Rail	Switch	Cod		Status	Repair
Item	From	То	Number	No.	E/W	No.	Comp.	Defect	S/Y/R	Y/N
1.					_					
2. 3.	#);							-		-
4.						107 11	-			
-7,	-							-		
5.							<u> </u>	 		
6.										
7.			A CHEROLOGICA							
8.									**	
9.										
Item	COMMENTS		Address Market States 1	,				7		
	No no	is defec	ts noted	d	track	INSPECT	10 D do	meheto)	
)	βE	1		7		
	·····									

~					***					
1									•	
1										

				-			,			
	Wore Switc	h in the are	a of Inspecte	od V	 es	^	10			
\//	ere all single of	all last	•					eratated in	each poeit	ion 2
Yes	NO NO	porauling into	onamom a co	nooting i	ou typo s	Witories inside	alea alid op	GIALALGU III	each posit	OH F
168										
	SPECIAL II	NSPECTIO	ON Yes_		NO					
								(8)		
Re	ason for spec	cial Inspec	tion?							540
			~		1				116	1
Tra	ck Inspector S	ignature	~ //	11.	//		Supervisor	y Cretifica	tion/4/	SOU/C
	01/1	11 /),	1) 11	1/ /		:				10
Y	11 11	1 Xt	500	Vol						
11	tuchoe	(/)	100	a						
974	3 1/2 /									